


FILTER PRESS AND SPARE PARTS

Benefits

- Production cost saving!
- High filtration efficiency!
- Consistent quality!
- 24/7 Technical support!
- Continuous improvement!
- Quick deliveries from stock!



Product details



Type of Plate	Membrane, Chamber
Size of Plate	1000 x 1000, 1500 x 1500, 2000 x 2000 mm
Application	MSG, Maltose syrup, Tapioca starch, Sugar
Manufacturer	Yuan Chang, Chi-Shun, Yabuta. Jingjin



FILTER CLOTH




Benefits

- Production cost saving!
- High filtration efficiency!
- Consistent quality!
- 24/7 Technical support!
- Continuous improvement!
- Quick deliveries from stock!

Product details

Type of Filter	Filter press, Leaf Filter, Centrifugal filter
Material	Polypropylene, Polyester, Nylon, PTFE
Application	MSG, Maltose syrup, Tapioca starch, Sugar



FILTER CARTRIDGE

Benefits



- Production cost saving!
- High filtration efficiency!
- Consistent quality!
- 24/7 Technical support!
- Continuous improvement!
- Quick deliveries from stock!

Product details

Type of Filter	Melt-blown, Wound, Pleated Membrane, Carbon
Material	Polypropylene, Polyester, PTFE, PES, Carbon
Micron Rating	0.05, 0.1, 0.2, 0.45, 1, 3, 5, 10, 25, 50 μ m
Type of Endcaps	DOE, 222/Fin, 226/Fin, 213/Fin
Type of O-ring	Silicone, EPDM, Buna N, Viton, Teflon
Length of Filter	5, 10, 20, 30, 40 inches



LIQUID FILTER BAG

Benefits



- Production cost saving!
- High filtration efficiency!
- Consistent quality!
- 24/7 Technical support!
- Continuous improvement!
- Quick deliveries from stock!



Filter specification

Material	Nylon, Polyester, Polypropylene
Micron rating	0.5, 1, 5, 10, 25, 50, 100, 200, 500 μm
Type or Ring	Plastic, SS304
Type or Seam	Welded, Sewn

Sizes - Parameters

Size	Filtering surface	Max. Flow rate
01: 180 x 430 mm	01: 0.25 m^2	01: 20 m^3/h
02: 180 x 810 mm	02: 0.50 m^2	02: 40 m^3/h
03: 105 x 230 mm	03: 0.09 m^2	03: 06 m^3/h
04: 105 x 380 mm	04: 0.20 m^2	04: 12 m^3/h

LIQUID FILTER BAG

Benefits



- Production cost saving!
- High filtration efficiency!
- Consistent quality!
- 24/7 Technical support!
- Continuous improvement!
- Quick deliveries from stock!



Product details

Material	Nylon, Polyester, Polypropylene
Micron rating	0.5, 1, 5, 10, 25, 50, 100, 200, 500 μm
Type of Ring	Plastic, SS304


Sizes - Parameters

Size	Filtering surface	Max. Flow rate
01: 180 x 430 mm	01: 0.25 m ²	01: 20 m ³ /h
02: 180 x 810 mm	02: 0.50 m ²	02: 40 m ³ /h
03: 105 x 230 mm	03: 0.09 m ²	03: 06 m ³ /h

DUST FILTER BAG

Benefits

- Production cost saving!
- High filtration efficiency!
- Consistent quality!
- 24/7 Technical support!
- Continuous improvement!
- Quick deliveries from stock!



Product details

Material	Polyester, PTFE, Aramid, Acrylic, Fiber Glass
Treatment and Finishes	Singed, glazed, PTFE laminated, anti-static, water repellent, oil repellent

